



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/092,158	06/05/1998	SAILESH M. MERCHANT	MERCHANT3333	5736

27964 7590 09/05/2003

HITT GAINES P.C.
P.O. BOX 832570
RICHARDSON, TX 75083

EXAMINER

MALDONADO, JULIO J

ART UNIT PAPER NUMBER

2823

DATE MAILED: 09/05/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/092,158

Applicant(s)

MERCHANT ET AL.

Examiner

Julio J. Maldonado

Art Unit

2823

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,4-12 and 15-24 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1,4-12 and 15-24 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on ____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) ____.
- 4) ☒ Interview Summary (PTO-413) Paper No(s). 30.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other:

DETAILED ACTION

1. In an Interview held on 08/08/2003, supervisor Chaudhuri discussed with attorney of record, Ron Corbitt the combination of references used by the Examiner.
2. Therefore, arguments with respect to the rejection(s) of claim(s) 1 and 12 under 35 USC §103 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Kim et al. (U.S. 5,591,671) and Bai et al. (U.S. 5,714,418).

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1, 5, 6, 8-12, 16, 17 and 19- 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim et al. (U.S. 5,591,671) in view of Bai et al. (U.S. 5,714,418).

In reference to claims 1, 12 and 24, Kim et al. (Figs.2-4) in a related method to form an interconnect layer teach the steps of forming a contact opening (25) in a dielectric layer (24) on a semiconductor substrate (21, 24), said contact opening (25) electrically contacting an active device; depositing by physical vapor deposition (PVD) a barrier layer (26, 27) in said contact opening (25) and on at least a portion of said semiconductor substrate (21, 24), said barrier layer deposition step includes depositing titanium layer (26) and depositing titanium nitride layer (27) on said titanium layer (26);

depositing a contact metal (28) on said barrier layer (26, 27) within said contact opening (25); removing a substantial portion of said contact metal (28) and said barrier layer (26, 27) from said semiconductor substrate (21, 24) to form a contact plug within said contact opening (25); and subjecting said contact plug to a heating treatment, changing the crystalline structure (i.e., annealing) of the barrier layer (26, 27) to reduce ohmic contact (column 4, line 27 – column 6, line 56).

Kim et al. fail to show extending the plug to an uppermost surface of said substrate. However, Bai et al. (Figs.4C-4D) in a related method to form interconnects in a semiconductor device teach the steps of removing a substantial portion a contact metal (44) and a barrier layer (42, 43) from a semiconductor substrate (40, 41) to form a contact plug within a contact opening (47), said plug extending to an uppermost surface of said substrate (40, 41) (column 9, lines 12-25). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to extend the plug to an uppermost surface of said surface as taught by Bai et al. in the interconnect forming method of Kim et al., since this would result in a planarized interconnect with reduced the contact resistance and improved performance of the circuit (column 9, lines 26-42).

In reference to claims 5, 6, 16 and 17, Kim et al. teach depositing a tungsten contact by chemical vapor deposition (column 4, line 57 – column 5, line 4).

In reference to claims 8, 9, 19, 20 and 23, Kim et al. in combination with Bai et al. teach depositing a barrier layer including forming a thickness of said barrier layer ranging from about 90 nm to about 290 nm within said contact opening having a design width below 1μ and forming a field area thickness of said barrier layer on said

semiconductor substrate of about 75 nm or greater (Kim et al., column 4, lines 38-44). Kim et al. in combination with Bai et al. fail to teach the thickness of said barrier layer from about 5 nm to about 20 nm and having 5% to about 20% of field area thickness within said contact opening. Notwithstanding, it would have been an obvious matter of design choice bounded by well known manufacturing constraints and ascertainable by routine experimentation and optimization to choose these particular dimensions because applicant has not disclosed that the dimensions are for a particular unobvious purpose, produce an unexpected result, or are otherwise critical, and it appears prima facie that the process would possess utility using another dimension. Indeed, it has been held that mere dimensional limitations are prima facie obvious absent a disclosure that the limitations are for a particular unobvious purpose, produce an unexpected result, or are otherwise critical. See, for example, *In re Rose*, 220 F.2d 459, 105 USPQ 237 (CCPA 1955); *In re Rinehart*, 531 F.2d 1048, 189 USPQ 143 (CCPA 1976); *Gardner v. TEC Systems, Inc.*, 725 F.2d 1338, 220 USPQ 777 (Fed. Cir. 1984), cert. denied, 469 U.S. 830, 225 USPQ 232 (1984); *In re Dailey*, 357 F.2d 669, 149 USPQ 47 (CCPA 1966).

In reference to claims 10, 11, 21 and 22, Kim et al. in combination with Bai et al. teach removing a substantial portion including removing said contact metal and said barrier layer from said field area thickness by chemical mechanical polishing processes (Kim et al., column 5, lines 62-67 and Bai et al., lines column 9, lines 12-24).

5. Claims 4 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim et al. ('671) in view of Bai et al. ('418) as applied to claims 1, 5, 6, 8-12, 16, 17 and

19-24 above, and further in view of the applicants admitted prior art in the instant application.

Kim et al. in combination with Bai et al. teach depositing a barrier layer in a contact opening in a dielectric layer, but fail to show the contact opening with an aspect ratio ranging from about 3:1 to about 5:1. However, the prior art teaches forming openings having aspects ratios from about 3:1 to about 5:1 (page 2, lines 1-6). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to specify aspect ratios of about 3:1 to about 5:1 as taught by the prior art and include it in the combination of Kim et al. and Bai et al., since this fulfill the need for forming smaller devices (page 1, line14 - page 2, line 6).

6. Claims 7 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim et al. ('671) in view of Bai et al. ('418) as applied to claims 1, 5, 6, 8-12, 16, 17 and 19-24 above, and further in view of Teo (U.S. 5,970,374).


Kim et al. in combination with Bai et al. teach subjecting said contact plug to a thermal process (Kim et al., column 5, lines 9-14) but fails to teach using a rapid thermal anneal (RTA) process. However, Teo in a related method to form interconnects teaches the step of using rapid thermal anneal at a temperature of about 670°C for about 30 seconds (column 4, lines 17-25). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to use a RTA process as taught by Teo and in the combination of Kim et al., Bai et al., since this improves the adhesion of the barrier layer in the contact opening (column 4, lines 17-25).


Conclusion

7. Papers related to this application may be submitted directly to Art Unit 2823 by facsimile transmission. Papers should be faxed to Art Unit 2823 via the Art Unit 2823 Fax Center located in Crystal Plaza 4, room 3C23. The faxing of such papers must conform to the notice published in the Official Gazette, 1096 OG 30 (15 November 1989). The Art Unit 2823 Fax Center number is **(703) 305-3432**. The Art Unit 2823 Fax Center is to be used only for papers related to Art Unit 2823 applications.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Julio J. Maldonado** at **(703) 306-0098** and between the hours of 8:00 AM to 4:00 PM (Eastern Standard Time) Monday through Friday or by e-mail via julio.maldonado@uspto.gov. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Olik Chaudhuri, can be reached on (703) 306-2794.

Any inquiry of a general nature or relating to the status of this application should be directed to the **Group 2800 Receptionist** at **(703) 308-0956**.


JMR
8/12/03


George Fourson
Primary Examiner